

# SPECIAL OFFER

## 17 MAGAZINE

Valid from 01 - 12 - 2009 till 28 - 02 - 2010

### USB XMAS TREE

- 7 Flashing colours
- USB bus powered

LAST STOCK



CMP-USBGAD10

**5.80**

### USB DRUMMING SANTA CLAUS OR SNOWMAN

This USB powered Santa Claus or Snowman happily drums four Christmas songs for you. During the drumming, blue LEDs will light up. The music can be turned on and off with the button between the two drums



CMP-USBXMAS20

**9.30**

CMP-USBXMAS21

**9.30**

### USB XMAS SNOWMAN

- Flashing snowman
- 7 Colours
- USB bus powered



CMP-USBGAD11

<sup>1+</sup> **4.78**

### USB FIBER GLASS CHRISTMAS TREE

- Height: 25 cm
- Cable length: 150 cm
- Power: USB or 2x AA batteries
- Changes between 4 different colors



CMP-USBXMAS10

**9.10**

STOP

CLICK

CAR MOUSE

CAR LEGENDS

Will you be the owner of a new ClickCarMouse?



Page **16**

All prices are per piece and subjected to VAT  
Misprinting reserved

## Concept of the month

### Lifestyle Electronics & More

- Fastmover products
- Over 280 full colour pages
- Wide assortment
- Pocket format
- Order for free
- Attract more customers to your shop!



*The new lighting generation in 1 fastmover concept!*

### HQ ECO Concept

*The new regulations regarding light bulbs are of great influence on the lighting market. Since 1 September all light bulbs of 100 Watt or higher and those with frosted glass are banned. The EU strives to drastically decrease the amount of CO2 emission with these new rules. The new regulations are expected to save the amount of energy normally consumed by 10 million households.*

*This means the time has come for a new generation lighting solutions! NEDIS offers a wide variety of igreen™ and modern lighting solutions consisting out of LED, soft tone energy saving lamps en standard energy saving lamps. Next to the different lamps this concept includes a few solar powered flashlights and a solar powered charger.*

*With this HQ retail fast mover concept you have all fast moving lamps in an attractive shop presentation. Offer your customer a complete assortment and make a maximum profit per m².*



## HQ WATERPROOF GROUND BURIED FIXTURE MR16



- Protection class: III
- Voltage: 12 V
- Halogen: MR16 halogen max. 35 W
- LED: MR16 LED no limit
- Max. diameter: 50 mm
- Waterproof: IP67
- Socket: GX5.3
- Lamp diameter: 105 mm
- Depth: 135 mm

**20.30**

LAMP FIX-10



## HQ HALOGEN LAMP 50 W



- Socket: GU10
- Colour Temp: 2800 K
- Voltage: 220 V
- Lifespan: 2000 h
- Dimensions: 51x52 mm

10+ **1.05**

LAMP GU10/50HQ



## HQ ENERGY SAVING LAMP CANDLE



- Base: E14
- Colour: 827
- 5.000 burning hours

Ordercode:	Wattage:	Qty.:	Price:
LAMP E09HQ	5 W	10	1.95
LAMP E10HQ	7 W	10	1.95
LAMP E11HQ	9 W	10	1.95



## HQ 3 LED DYNAMO TORCH

LED torch with charge function for mobile telephones.

- Lamp: 3 White ultra bright LEDs
- 2 Light modes: 1 or 3 LEDs
- Capacity: 1 W



6+ **5.95**

TORCH-LDYN-1



## HQ PORTABLE LED LIGHT

Stand-by emergency light. 30 Super bright LEDs provide you with enough light to see in the case of a power failure, car breakdown or on a campsite.

- LED: 30 Super bright LEDs
- Burning time: ± 25 hrs
- Power: 6x AA R6 batteries  
4.5 V DC Adapter (excl.)
- Dimensions: 200x65x40 mm



**10.65**

TORCH-L-83



## HQ STAND-BY EMERGENCY LED LIGHT

Stand-by emergency light. 17 Super bright LEDs provide you with enough light to see in the case of a power failure, car breakdown or on a campsite.

- LED: 17 Super bright LEDs
- Burning time: ± 30 hrs
- Power: 3x LR20 batteries  
4.5 V DC Adapter (excl.)
- Dimensions: 180x84.5x100 mm



**10.65**

TORCH-L-82



## HQ SOLAR TORCH BASIC

The ideal torch for any campingtrip.

- Lamp: 3 Super bright LEDs
- Battery: LIR 2450
- Rechargeable: Solarpanel
- Burn time: Up to 2 hrs
- Dimensions: 153x51x31 mm



SOL-TORCH-03

2+ **11.40**



## HQ SOLAR LED TORCH WITH POWER STRING

This LED torch is equipped with a solar panel but the accu can also be charged with a "power cord". If you pull the cord, the battery is charged via a dynamo.

- Lamp: 3 Super bright LEDs
- Battery: LIR 2450
- Rechargeable: Solar panel/power cord
- Burn time: Up to 5 hrs
- Dimensions: 131x49x21 mm



SOL-TORCH-02

**10.40**



12 Volt inverters.

## HQ PLUG-IN INVERTER 12 - 230 V



Compact plug-in inverter for use with the 12 V car socket. Provided with earth pin socket, overload protection and E-mark.

- Modified sinewave
- Battery low shutdown: 10 V (± 0.5V)
- Input voltage: 12-13.8 V DC
- Output voltage: 220-240 V AC-50 Hz
- Output power: 75 W

HQ-INV75W/12

**21,60**




## HQ INVERTER 12 - 230 V



- Input: 10 - 15 V DC
- Output: 230 V AC
- Output waveform: Modified sine wave
- Continuous power: 600 W
- Peak power: 1500 W
- Dimensions: 280 x 173 x 65 mm

HQ-INV600W/12

**68,00**



## HQ INVERTER 12 - 230 V



- Input: 10 - 15 V DC
- Output: 230 V AC
- Output waveform: Modified sine wave
- Continuous power: 2500 W
- Peak power: 5000 W
- Dimensions: 430x210x159 mm

HQ-INV2500/12

**318,40**



24 Volt inverters

## HQ INVERTER 24 - 230 V



- Input: 20 - 30 V DC
- Output: 230 V AC
- Output waveform: Modified sine wave
- Continuous power: 300 W
- Peak power: 600 W
- Dimensions: 163x90x75 mm

HQ-INV300W/24

**32,30**



## HQ INVERTER 1000 W 24 V - 230 V



- Input: 20 - 30 V DC
- Output: 230 V AC
- Output waveform: Modified sine wave
- Continuous power: 1000 W
- Peak power: 2000 W
- Dimensions: 310 x 210 x 85 mm

HQ-INV1KW/24

**108,55**



## HQ REGULATED PLUG-IN ADAPTER

Regulated universal adapter with selectable output voltage between 5 and 12 Volts. All types will be supplied including 7 exchangeable output plugs.

300mA



P.SUP.14-HQ

**2+ 7,68**



700mA



P.SUP.12R-HQ

**5+ 8,75**



1000mA



P.SUP.13-HQ

**5+ 9,40**



## HQ NIMH HR03 BATTERIES

- Capacity: 800 mAh
- Voltage: 1.2 V
- System: NiMH
- IEC code: HR03
- Size: AAA, Mini-Penlite, Micro

**800mAh**



**HQ-NIMH-R3/8**

24+ **0,98**



## HQ NIMH R6 BATTERIES

- Capacity: 2000 mAh
- Voltage: 1.2 V
- System: NiMH
- IEC code: HR6
- Size: AA, Penlite, Mignon, AM3

**2000mAh**



**HQ-NIMH-R6**

10+ **2,25**



## HQ NIMH R6 BATTERIES

- Capacity: 2700 mAh
- Voltage: 1.2 V
- System: NiMH
- IEC code: HR6
- Size: AA, Penlite, Mignon, AM3

**2700mAh**



**HQ-NIMH-R6/27**

10+ **2,00**



## HQ PLUG-IN BATTERY CHARGER

- For 2 or 4 pieces of AA or AAA batteries
- Charging time 7-14 hours
- 2 Charging circuits



**HQ-CHARGER10**

5+ **4,85**



## HQ COMPACT TRAVEL CHARGER

Due to the supplied exchangeable plugs it can be used in Europe, the US and UK.

- Charging time: 4 hrs
- NIMH/NICD AA/AAA batteries
- Switching power technology for worldwide use
- Input: 100 - 240 V AC 50/60 Hz
- Interchangeable AC plugs: US, Europe, UK



**HQ-CHARGER13**

**11,18**



## HQ 5 V SWITCHING ADAPTER WITH EXCHANGEABLE PLUGS

Compact 5V switching adapter supplied with 8 exchangeable plugs, including USB and mini-USB. Therefore it's suitable for a wide range of appliances.

- Input voltage: 100 - 240 V AC
- Output voltage: 5 V DC
- Output current: 2.5 A
- Outputplugs: 8 including mini-USB



**P.SUP.SMP5V2A5**

3+ **9,20**



## HQ UNIVERSAL 5-15 V SWITCHING POWER SUPPLY 60 W

This compact switching power supply provides a broad range of selectable output voltages.

- Input voltage: 100 - 240 V AC, 50/60 Hz
- Output voltage: 5.0/6.0/7.5/9.0/12.0 V - max. 5 A 13.5/15 V - max 4 A
- Output plugs: 5 pcs
- Regulated: Yes
- Protection: Shortcut and overload protection



**P.SUP.SMP60-HQ**

2+ **30,30**



## HQ USB TRAVEL CHARGER

With this USB travel charger

Charge your PDA or other device through the power net. Ideal for holiday or bussiness trips due to the 4 included plugs.


- 100 - 240 V 60/50 Hz 230 mA



**P.SUP.USB100**

5+ **10,85**





HQ makes switching between different HDMI devices as easy as possible. The modern design switches have multiple connections to connect for example a DVD-recorder, game console or any other HDMI device. After you have connected all your devices you can easily change the displayed device by using the switches or the included remote. No more hassle with disconnecting and reconnecting all kinds of cables. Below is a small presentation of our extensive HDMI assortment, for a complete overview we would like to direct you to our website.

## HQ 2 PORT HDMI SWITCH



- Input: 2x HDMI female
- Output: 1x HDMI female
- Video resolution: 720p/1080i/1080p
- HDMI 1.3 support
- HDCP support

AVSWITCH-20

3+ **9,98**



## HQ 4 PORT HDMI SWITCH WITH REMOTE CONTROL



- Input: 4x HDMI female
- Output: 1x HDMI female
- Video resolution: 480p/720p/1080i/1080p
- HDMI 1.1 support

AVSWITCH-55

**52,70**



## HQ 4 PORT HDMI 1.3 SWITCH WITH REMOTE CONTROL



- Input: 4x HDMI female
- Output: 1x HDMI female
- Video resolution: 720p/1080i/1080p
- HDMI 1.3 support
- HDCP support
- Built-in pre-amplifier and equalizer
- Includes remote control
- Easy access HDMI connection on the front

AVSWITCH-46

**69,20**



## HQ 4 PORT HDMI SWITCH WITH REMOTE CONTROL



- Input: 4x HDMI female
- Output: 2x HDMI female
- Video resolution: 480p/720p/1080i/1080p
- HDMI 1.2 support
- HDCP support
- Built-in pre-amplifier and equalizer
- Includes remote control

AVSWITCH-48

**84,70**



## HQ LUXURIOUS 4 PORT 1.3 HDMI SWITCH WITH DISPLAY



- Input: 4x HDMI female + 4x Optical
- Output: 2x HDMI female + 1x Optical
- Video resolution: 720p/1080i/1080p
- HDMI 1.3 support
- HDCP support
- LCD display
- Includes remote control

AVSWITCH-60

**113,28**



## HQ 6 PORT HDMI 1.3 SWITCH WITH REMOTE CONTROL



- Input: 6x HDMI female
- Output: 1x HDMI female
- Video resolution: 720p/1080i/1080p
- HDMI 1.3 support
- HDCP support
- Built-in pre-amplifier and equalizer
- Easy access HDMI connection on the front
- Includes remote control

AVSWITCH-85

**73,50**



## KÖNIG HDMI 1.3C CABLE 1.5 M BULK



- HDMI male 19pins - HDMI male 19pins
- Version: HDMI 1.3
- Wire gauge: AWG 24 (0.511mm diameter)
- Maximum resolution: WQXGA 2560x1600
- Maximum bandwidth: 340 MHz

Ordercode:	Length:	Qty.:	Price:
<b>CABLE-5570-1.5</b>	1.50 m		<b>11.80</b>
<b>CABLE-5570-2.5</b>	2.50 m		<b>15.20</b>
<b>CABLE-5570-5.0</b>	5.00 m		<b>23.75</b>
<b>CABLE-5570-10</b>	10.0 m		<b>41.10</b>

## HQ HDMI CABLE



- HDMI male 19pin - HDMI male 19pin
- Version: HDMI 1.3

Ordercode:	Length:	Qty.:	Price:
<b>HQSS5550-0.75</b>	0.75 m		<b>5 / 8.35</b>
<b>HQSS5550-1.0</b>	1.00 m		<b>6.60</b>
<b>HQSS5550/1.5</b>	1.50 m		<b>10 / 9.10</b>
<b>HQSS5550-2.0</b>	2.00 m		<b>7.75</b>
<b>HQSS5550-2.5</b>	2.50 m		<b>8.20</b>
<b>HQSS5550-7.5</b>	7.50 m		<b>9.58</b>

## HQ HDMI CABLE WITH ONE RIGHT ANGLED CONNECTOR



- HDMI male 19pin - HDMI male 19pin
- 90° angled connector on one side
- Version: HDMI 1.3

Ordercode:	Length:	Qty.:	Price:
<b>HQSS5580-0.75</b>	0.75 m		<b>1 / 7.85</b>
<b>HQSS5580-1.5</b>	1.50 m		<b>1 / 9.18</b>
<b>HQSS5580-5</b>	5.00 m		<b>1 / 9.85</b>
<b>HQSS5580-10</b>	10.0 m		<b>17.58</b>

NEW

## KÖNIG GOLD PLATED HDMI 1.3 CABLE 0.75 M



- HDMI male 19pins - HDMI male 19pins
- Version: HDMI 1.3

Ordercode:	Length:	Qty.:	Price:
<b>CABLE-557-0.75</b>	0.75 m		<b>10 / 3.60</b>
<b>CABLE-557/10</b>	10.0 m		<b>10 / 8.30</b>

## HDMI CABLE 19PIN - 19PIN



- HDMI male 19pins - HDMI male 19pins
- One 90° hooked connector
- Version: HDMI 1.3

Ordercode:	Length:	Qty.:	Price:
<b>CABLE-558/1.5</b>	1.50 m		<b>10 / 3.85</b>
<b>CABLE-558/10</b>	10.0 m		<b>9.45</b>

## HQ BASIC DIGITAL AUDIO/VIDEO CABLE



- HDMI 19pin to HDMI 19pin connection cable
- Version: 1.2

Ordercode:	Length:	Qty.:	Price:
<b>HQB-011-1.5</b>	1.50 m		<b>6.28</b>

## HQ 6 PORT AUDIO/VIDEO TO HDMI SWITCH + CONVERTER

This converter/switch is the ideal solution to connect up to 6 different devices to your LCD or plasma TV with a single HDMI port. Connect both analogue and digital devices with your TV using the HDMI port media switch.

- Full HD
- Frequency range: 25 MHz ~ 225 MHz
- Power supply: DC Input 5 V/3 A adapter
- Dimensions(mm): 340 x 171 x 39 mm
- Inputs: 2x HDMI, 2x analogue (AV,S-VHS or YUV), 2x VGA
- Audio: DTS-HD, Dolby True HD, uncompressed digital audio
- Metal housing
- Supports HDCP compatible devices



**AVSWITCH-80**  
**194.00**

## HDMI 19PIN MALE - DVI 10PIN MALE



· HDMI 19pin - DVI-D cable

Ordercode:	Length:	Qty.:	Price:
<b>CABLE-551/2.5</b>	2.50 m	<b>10 /</b>	<b>4.00</b>
<b>CABLE-551/10</b>	10.0 m	<b>5 /</b>	<b>8.45</b>

## HQ CABLE HDMI 19PIN - DVI-D



· HDMI 19pin - DVI-D cable  
· Packed in a blister

Ordercode:	Length:	Qty.:	Price:
<b>HQB-010-10</b>	10.0 m		<b>12.88</b>

## AUDIO / VIDEO CABLE



3 PHONO PLUGS TO 3 PHONO PLUGS

Ordercode:	Length:	Moq:	Price:
<b>CABLE-521</b>	1.50 m	<b>10 /</b>	<b>1.25</b>

## OPTICAL CABLE TOSLINK - TOSLINK



Optical cable: Toslink to Toslink

Ordercode:	Length:	Moq:	Price:
<b>CABLE-620</b>	1.00 m	<b>10 /</b>	<b>2.05</b>
<b>CABLE-620/5</b>	5.00 m	<b>5 /</b>	<b>4.10</b>

## HIGH-END OPTICAL CABLE



Professional optical cable Toslink to Toslink

Ordercode:	Length:	Moq:	Price:
<b>CABLE-623</b>	1.00 m	<b>10 /</b>	<b>3.15</b>
<b>CABLE-623/10</b>	10.0 m	<b>4 /</b>	<b>8.20</b>

## CONVERTER OPTICAL - COAXIAL



Converts optical digital input to coaxial output  
· Optical (Toslink) 'IN' to coaxial (RCA) 'OUT'

**3+ 10.95**

**CONV-OPTCOAX**

## HQ BASIC USB 2.0 CABLE



Ordercode:	Length:	Moq:	Price:
<b>HQB-051-1.8</b>	1.80 m	<b>10 /</b>	<b>2.20</b>

## HQ USB A PRINTER CABLE CONVERTOR



Ordercode:	Length:	Qty.:	Price:
<b>HQCC-144</b>	1.80 m		<b>8.30</b>

## HQ USB SERIAL CABLE CONVERTOR



Ordercode:	Length:	Qty.:	Price:
<b>HQCC-146</b>	0.50 m		<b>8.70</b>

## HQ ACTIVE USB 2.0 CABLE



Ordercode:	Length:	Qty.:	Price:
<b>HQCC-147HS</b>	5.00 m		<b>8.75</b>

## HQ USB 2.0 LAN CABLE



Ordercode:	Length:	Qty.:	Price:
<b>HQCC-148HS</b>	2.00 m		<b>17.68</b>

## HQ CAT 5E FTP CROSS CABLE



Ordercode:	Length:	Qty.:	Price:
<b>HQCC-CR5E/15</b>	15.0 m		<b>9.40</b>

## HQ SCART CABLE



- 21 pin connected scart cable
- With SCART Lock system

Ordercode: Length: Qty: Price:  
**HQSS1003/1.5** 1.50 m **10 / 9.25**  
**HQSS1003/5** 5.00 m **5 / 13.20**

## HQ FLAT SCART CABLE



- 21 pin SCART cable
- With SCART Lock system

Ordercode: Length: Qty: Price:  
**HQSS1022/1.5** 1.50 m **5 / 11.15**

## HQ RCA AUDIO/VIDEO CABLE



- Double shielded stereo audio/video cable
- 2x 2 gold plated 24k phono plugs

Ordercode: Length: Qty: Price:  
**HQSS3611/1.5** 1.50 m **5 / 8.20**

## HQ COMPONENT VIDEO CABLE



- 3x RCA (Y, Cb, Cr) to 3x RCA (Y, Cb, Cr)
- 75 Ohm videocable

Ordercode: Length: Qty: Price:  
**HQSS3811/0.75** 0.75 m **4 / 9.40**  
**HQSS3811/1.5** 1.50 m **5 / 10.28**  
**HQSS3811/2.5** 2.50 m **3 / 9.58**

## HQ TOSLINK CABLE



- Optical cable suitable for digital data transfer
- On both sides a 24k gold-plated Toslink plug

Ordercode: Length: Qty: Price:  
**HQSS4623/0.75** 0.75 m **5 / 5.65**

## HQ SILVER OPTICAL 3 PORT SWITCH



- Ideal for the extension of the optical input at the amplifier.
- Each output can be selected separately.
- 1xInput and 3xOutputs or 3xInput and 1xOutput

Ordercode: Qty: Price:  
**HQSSOPTSW1** **5+ / 6.18**

## HQ HDMI-DVI ADAPTER

- HDMI female - DVI male adapter
- 24K gold plated



**HQSSVC004**

**4.80**



## HQ HDMI-DVI ADAPTER

- HDMI female - DVI female adapter
- 24K gold plated



**HQSSVC006**

**5.48**



## HQ HDMI COUPLER

- HDMI female - HDMI female
- 24K gold plated



**HQSSVC009**

**5.95**



## HQ LCD WALL BRACKET

- Screensize: 10" tot 23"
- Distance to the wall: 109 mm
- Max. weight: 15 kg
- Material: aluminium
- Turnable: 30°
- Tiltable: 20°
- VESA 50/75/100/100x200



TVS-LCD130B-HQ

**18.40**



## HQ LCD BRACKET

- Screensize: 10" to 23"
- Distance to the wall: 109 - 349 mm
- Max. weight: 15 kg
- Material: Steel
- Turnable: Yes
- Tiltable: 10°
- VESA 50/75/100/200x100



TVS-LCD220B-HQ

**14.30**



## HQ LCD FIXED WALLBRACKET

- Screensize: 22" to 37"
- Distance to the wall: 45 mm
- Max. weight: 45 kg
- Material: Steel
- Turnable: No
- Tiltable: No
- VESA universal



TVS-LCD610B-HQ

**24.80**



## HQ TILTABLE WALLBRACKET

- Screensize: 22" to 37"
- Distance to the wall: 60 mm
- Max. weight: 45 kg
- Material: Steel
- Turnable: No
- Tiltable: 15°
- VESA universal



TVS-LCD710B-HQ

**28.70**



## SUPPORT WATCH EASYBIG

- Screen size: 30" tot 50"
- Distance to the wall: 25 mm
- Material: Steel
- Turnable: No
- Tiltable: No
- VESA: 800x400




TVS-PLASMA05B

**35.18**



## HQ TILTABLE WALLBRACKET

- Screensize: 34" to 63"
- Distance to the wall: 76 mm
- Max. weight: 75 kg
- Material: Steel
- Turnable: No
- Tiltable: 15°



TVS-PLSM210/HQ

**33.50**



## SUPPORT WATCH LUNAR REACH

- Screen size: 30" tot 50"
- Distance to the wall: 129 - 411 mm
- Max. weight: 50 kg
- Material: Aluminum
- Rotatable: 90°
- Tiltable: 15°
- VESA: 800x400




TVS-PLASMA81

**143.90**

## PROJECTOR/BEAMER CEILING BRACKET

Universal ceiling bracket for projectors and beamers which is 360° rotatable. Fits all projector models with screw connection.

- Max Weight: 15 kg
- Distance to ceiling: 145 mm
- Tiltable: 30°
- Turnable: 360°



TVS-1PROJ/S

**39.90**





## KÖNIG TILT & PIVOT LCD MOUNT



Universal wall bracket for LCD/Plasma TVs from 10" to 37" or a maximum of 20 kg. The bracket is 20° tiltable and rotatable.



- Colour: Black
- Screen size: 15 - 32"
- Distance to the wall: 75 mm
- Max. weight: 20 kg
- Material: Steel
- Pivot points: 1
- Rotatable: Yes
- Tiltable: 15°
- VESA 75/100


TVS-KN-FSB104B

Also available in a silver version.

**23,60**



## KÖNIG 2-WAY LCD MOUNT



Universal wall bracket for LCD/Plasma TVs from 10" to 32" or a maximum of 20 kg. The bracket is rotatable, tiltable and swivable.



- Colour: Silver
- Screen size: 15 - 32"
- Distance to the wall: 85 - 255 mm
- Max. weight: 20 kg
- Material: Steel
- Pivot points: 2
- Rotatable: 270°
- Swivel: 170°
- Tiltable: 25°
- VESA 75/100


TVS-KN-FSB106S

Also available in a black version.

**29,58**



## KÖNIG FIXED LCD/PLASMA MOUNT W. SNAP SAFETY LOCK



Universal wall bracket for LCD/Plasma TV's up to 37" or a maximum of 40 kg.



- Colour: Silver
- Screen size: 26 - 37"
- Max. weight: 40 kg
- Distance to the wall: 35 mm
- Material: Steel
- VESA 200/200x100/400x200
- Mounting pattern: 470 x 320 mm
- Anti theft system

TVS-KN-FSB112S

Also available in a black version.

**32,40**



## KÖNIG 3-WAY LCD/PLASMA BRACKET



Universal tiltable wall bracket made of a combination of steel and aluminium. The combination of these two material make a solid wall bracket.



- Colour: Black
- TV size: 30 - 60"
- Max. weight: 75 kg
- Distance to wall: 150 - 750 mm
- Material: Steel / Aluminum
- Rotation points: 3
- Tiltable: 20°
- Mounting blade: Universal

TVS-KN-FSB100B

Also available in a silver version.

**104,80**



## KÖNIG PROJECTOR WALL MOUNT BRACKET



Aluminum wall mounting projector arm with universal mounting blade and slots for cable management.



- Max. Projector weight: 15kg
- Rotation: 360°
- Tiltable: 15°
- Distance to the wall: 335 - 408 mm
- Mounting blade: Universal
- Material: Aluminum
- Colour: Black/Silver

TVS-KN-PRO100S

**28,25**



## KÖNIG PROJECTOR CEILING MOUNT BRACKET



A high quality mount for projectors. Thanks to the quick connecting system and the snap safety lock system you can easily and quickly mount your device.



- Distance to the ceiling: 210-310 mm
- Max. weight: 11.5 kg
- Material: Aluminum
- Rotation points: 1
- Tiltable: 20°
- VESA: Universal

TVS-KN-PRO102S

**34,80**





## KÖNIG SATELLITE RECEIVER WITH PVR AND HDMI OUTPUT

The USB connection and PVR technology enables you to record programs on an external storage device. You'll never have to miss a program anymore!



- Type: Satellite receiver
- Reception: Common interface
- Decryption type: Viaccess
- DiSEqC V2.0: No
- Common interface slot: Yes
- Card reader: Yes
- Modulator: Stereo UHF
- EPG: Yes
- Teletext: Yes

- Digital audio out: Coax/optical
- Scart outputs: 1
- Digital video out: HDMI
- Channels: 4000
- Resolution: 576p/720p/1080i
- PVR: Yes
- Time shift: Yes

**SAT-SDCI41-KN**  
**74,40**



## KÖNIG TRIPOD FOR DISHES

Lightweight and very stable 3-leg tripod.

- For dishes up to 100 cm
- Including 3 tent pins for extra anchorage
- Rotating head for dish alignment
- Fixing knob
- Material: Aluminum
- Weight: 1.7 kg



**23,18**  
**0,00**

**SAT-TRIPOD12**



## HIRSCHMANN ANTENNA AMPLIFIER

The amplifier (21dB) has a built-in multitap with 4 outlets from which 1 outlet has a return path signal.



**RH-GHV20M**

**82,95**



## HIRSCHMANN IEC CONNECTOR FEMALE

Highfrequency "85dB" screened coax plugs.



**RH-KOKW13**

**RH-KOSW13**

Now also available in a carton with 50pcs on reel !

Ordercode:	Type:	Qty:	Price:
<b>RH-KOKW13</b>	Socket	10	3.30
<b>RH-KOSW13</b>	Plug	10	3.30

## KÖNIG REMOTE CONTROL EXTENDER

Remote control extender for usage with existing coax cables. 3 IR emitters included.

- Reception range: 7 m
- Reception angle: 45°
- Returnchannel: 10.52 MHz
- Adapter: 2 x 12 V DC, 100 mA
- Carrier frequency: 37 ~ 45 kHz



**SAT-IRCABLE**

**20,40**



## KÖNIG MONO MODULATOR

- PLL modulator
- RF output: 70 dBµV
- Channel: 21 - 69
- Standard: PAL G
- Built-in test tone generator



**SAT-MOD1**

**15,95**



## KÖNIG STEREO UHF MODULATOR WITH IR FUNCTION

Use the original remote control to operate the connected equipment from other rooms.

- LED display for channel readout
- Channels: 21 - 69
- Standard: PAL B/G
- A/V inputs: Scart, S-Video



**SAT-MOD5**


**51,45**



## KÖNIG ACTIVE DVB-T ANTENNA

Easy to install universal DVB-T antenna for all receivers with 5 V 30 mA power supply over a HF cable.

- Frequency range: 174~230/470~862 MHz
- Gain: 18 dB/15 dB



KN-DVBT-IN10

**7.30**



## KÖNIG DESIGN DVB-T ANTENNA

Design indoor DVB-T rod antenna for digital terrestrial TV and radio broadcasts in Europe. This easy to install antenna is suitable for all DVB-T receivers with 5 V 30 mA feeding.

- Frequency range: 174~230/470~862 MHz
- Amplifier gain: 19 dB
- Cable length: 1.50 m



KN-DVBT-IN41


**10.70**



## KÖNIG FREE-TO-AIR DVB-T RECEIVER

König digital terrestrial receiver for the reception of free DVB-T signals. Without modulator.

The FTA17 now supports teletext via the TV set and also a switchable powersupply for an active antenna.



DVB-T FTA17N

**36.70**



## KÖNIG DESIGN DVB-T ANTENNA

Design indoor DVB-T antenna for digital terrestrial TV and radio broadcasts.

- Frequency range: 47~870 MHz
- Amplifier gain: 22 dB
- Dimensions: 190 x 260 x 40 mm



KN-DVBT-IN30

**10.15**



## KÖNIG DESIGN DVB-T ANTENNA

Active indoor DVB-T antenna for digital terrestrial TV and radio signals. Powered by the DVB-T receiver and suitable for receiving all horizontal and vertical signals.

- Frequency range: 47~230/470~870 MHz
- Gain: 21 dB
- Cable length: 2.0 m
- Includes adapter for use with receivers without power supply



KN-DVBT-IN50

**15.80**



## KÖNIG COMPONENT TO HDMI CONVERTER

With this converter it is possible to convert a component signal to a HDMI signal. For an optimal sound and image use the high quality HDMI cables from the KÖNIG series.

- Connectors: 1x input component + 1xRCA coaxial female + 1x output HDMI female
- Compatible with HDMI 1.3



KN-HDMICON10

**47.85**



## KÖNIG VGA TO HDMI CONVERTER

This converter converts a VGA signal to a HDMI signal. Makes it possible to connect a device with a VGA connection (computer) to a LCD TV with HDMI connection.

- Connectors: 1x input VGA + 2xRCA female + 1x output HDMI female
- Compatible with HDMI 1.3



KN-HDMICON20

**52.70**



## KÖNIG 3 PORT SWITCH TO HDMI CONVERTER

This converter also functions as a switch. It convert 3 different inputs, such as Component, a DVI and a HDMI input to a HDMI signal output.

- Connectors input: 1x DVI-D + 1x PrPbY + 1xToslink + 2x RCA female (Audio)
- Connectors output: 1x HDMI + 1xToslink
- Compatible with HDMI 1.3



KN-HDMICON50

**77.60**



## KÖNIG 4 PORT HDMI SPLITTER

Plays a HDMI source, like a DVD player or satellite receiver, on 4 LCD or plasma screens at the same time.

- Connection: 1x input HDMI female, 4x output HDMI female
- Compatible with HDMI 1.3



KN-HDMISPL20

**76.70**



## KÖNIG 4 PORT TO 2 PORT HDMI MATRIX SWITCH

This HDMI switch/splitter makes it possible to display any signal from 1 of the 4 inputs to any of the both outputs. Or just select any input signal that should be passed to a specific output port.

- Connections: 4x input HDMI female, 2x Output HDMI female
- Compatible with HDMI 1.3



KN-HDMIMAT10

**87.90**



## KÖNIG MICRO SYSTEM

Compact and wall mountable AM/FM stereo audio set with CD player. Besides you can play music from USB/SD/MMC and via the aux-in connection.



- CD player
- USB port
- SD/MMC port
- Supports MP3/WMA CDs
- AM/FM PLL tuner with 40 presets
- ID3 Tag support
- Motorized CD door
- 3.5mm Aux-in
- Power output: 40 W
- Incl. remote control

HAV-MCS52

**102.30**



## KÖNIG USB TURNTABLE

USB connection to digitalize your old records and put them as MP3 on your PC.

- 33-1/3, 45, 78 RPM 3 speeds turntable
- Auto tone arm reset
- Built-in RIAA equalizer
- RCA line-out for audio amplifier
- Transparent plastic dust cover

HAV-TT10USB


**58.15**



## KÖNIG PORTABLE FM RADIO/MP3 SET

Easy to take along sound system with FM radio, SD/MMC card slot, and alarm function. Includes stereo headphones, USB cable, installation CD, removable shoulder belt and AC power adapter.

- 4 integrated speakers
- LCD display
- ID3 tag support
- Mini USB port
- Dimensions: 280x85x85 mm



HAV-PMS10

**27.10**



## KÖNIG PORTABLE RADIO

- Digital display
- AM/FM 2 band
- SW 1-2 band
- Clock and alarm



HAV-PR40

**11.90 <sup>10</sup> 0.00**





Everybody hates those ugly and annoying cables, but most of the times they are necessary to transport sound from your player to a receiver. With these König wireless systems that problem is solved. The modern designed sets send your music wirelessly over the 2.4 GHz band to guarantee a crystal clear sound reproduction without the hassle of cables.

## KÖNIG WIRELESS DIGITAL AUDIO TRANSMITTER

Transmit your music wirelessly from for example a MP3 player or computer to a stereo system elsewhere in the house.

- Frequency range: 2.400 - 2.483 Ghz
- Channels: 8
- Modulation: FSK (Frequency Shift Keying)
- Audio input: 2x RCA (R/L), 3.5mm
- Audio output: 2x RCA (R/L), 3.5mm
- Power: 9 V/200 mA



VID-TRANS220KN

**57.40**



## KÖNIG WIRELESS DIGITAL AUDIO TRANSMITTER WITH USB

Transmit your music from your PC or laptop to a stereo elsewhere in the house wirelessly.

- Frequency range: 2.400 - 2.483 Ghz
- Channels: 8
- Modulation: FSK (Frequency Shift Keying)
- Audio input: USB
- Audio output: 2x RCA, 3.5mm
- Power: USB bus powered



VID-TRANS230KN

**57.40**



## KÖNIG PC PROGRAMMABLE REMOTE CONTROL KIT

PC programmable remote control. Enables replacement of over 100.000 original remotes for e.g. TV, VCR, DVD, DVB-receivers. The included software enables programming the remote control via USB/IR interface.

- Programmable: 4-in-1
- Emitting: IR
- Batteries: 2x AAA (not incl.)
- Compatible with: Windows® 98SE/ME/2000/XP/Vista



Ordercode:	Color:	Qty:	Price
IR-SMARTRC01KW	White		<b>20.65</b>
IR-SMARTRC01KB	Black		<b>20.00</b>



## KÖNIG PC PROGRAMMABLE REMOTE CONTROL

Loose 4-in-1 programmable remote control



Ordercode:	Color:	Qty:	Price
IR-SMARTRC01W	White		<b>12.55</b>
IR-SMARTRC01B	Black		<b>12.55</b>



# DÖNBERG ELECTRONICS LTD



Finally your most wanted cars are within reach. The classic Mercedes SL 300, the latest Maserati GranTurismo or the beloved Fiat 500 is within grasp with these highly detailed and officially licensed car mice. Drive your PC in style with a mouse based upon your favourite car brand and model.

Do you think you have the right skills to be a good car salesman? We're constantly looking for dedicated new dealers willing to sell our latest exclusive models. When you buy 6 mice in a single order we will mention your webshop or showroom on our Click Car Mouse website!

Besides the current models, the supplier will introduce more models in the near future. So expect the most popular models from Volkswagen, Mini, Opel and Citroën in our showrooms soon. All mice are very precisely crafted and even have working head- and taillights. Visit the showroom on [www.clickcarmouse.eu](http://www.clickcarmouse.eu) for more information.



# DÖNBERG ELECTRONICS LTD

## Your most wanted cars are within reach!

### FIAT TOPOLINO WIRED CAR MOUSE

- 800 DPI
- USB cable

19.75



CARMOUSE01

### FIAT NEW 500 WIRELESS CAR MOUSE

- Wireless incl. docking station
- 800 DPI
- 1.2 meter range
- 27Mhz frequency
- USB

30.48



CARMOUSE06

CARMOUSE07

### FIAT 500 WIRED CAR MOUSE

- 800 DPI
- USB cable

19.75



CARMOUSE02

CARMOUSE03

CARMOUSE04

CARMOUSE05

### MASERATI GRANTURISMO WIRELESS CAR MOUSE

- Wireless incl. docking station
- 800 DPI
- 1.2 meter range
- 27Mhz frequency
- USB

30.48



CARMOUSE08

### MERCEDES-BENZ 300 SL WIRELESS CAR MOUSE

- Wireless incl. docking station
- 800 DPI
- 1.2 meter range
- 27Mhz frequency
- USB

30.48



CARMOUSE09



## KÖNIG SPEAKERSET 2.1

The CMP-SP36 is a 2.1 system in a modern and stylish design. It produces a clear sound and the compact subwoofer takes care of a powerful bass. Of course it can also be used by a portable audio device like a MP3-player and will be supplied with a wired remote control.

- Perfect sound quality
- Compact subwoofer
- Wired remote control



**CMP-SP36**  
**36,70**



## KÖNIG 2.2 SPEAKERSET

A powerful and fashionable sound set with unique double subwoofer. This set consists out of a so called 2.2 system. Which means it is equipped with 2 satellite speakers and a subwoofer with 2 bass drivers. The double bass output arrangement not only offers a fast low frequency dynamic response but also delivers a very strong sound in which every nuance in the lower frequency ranges is crystal clear. Ideal to use with a computer.

- Driver output power: 2x 17 W + 2x 8 W
- Frequency response: 20 Hz-20 KHz
- S/N ratio: 65 dB
- Sensitivity: 400 mV
- Dimensions subwoofer: 260 x 200 x 260 mm
- Dimensions satellite: 110 x 170 x 115 mm



**CMP-SP70**  
**54,30**



## KÖNIG 2.1 SPEAKER SET

Connect the CMP-SPSW11 to a PC, DVD-player or other audio device and enjoy the clear stereo sound from games, movies and music. The bass level can be optimised with a separate control button. The main volume and the bass level can be controlled with the units on the front of the subwoofer. The main volume can also be adjusted with the wired remote control.

- High quality stereo 2.1 set
- Wooden subwoofer
- Bass level controller



**CMP-SPSW11**  
**19,60**



## KÖNIG SPEAKERSET 2.0 2\*2W USBPOW

This 2.0 speaker set is ideal for situations where power plugs are scarce. The speakers get their power from an USB connection and the sound comes from a 3,5mm jack. These speakers are small and easy to take with you on a trip.

- Powered by USB
- Sound by 3.5mm plug
- Output: 2x 3 W RMS



**CMP-SP19**  
**2+ 8,45**



## KÖNIG SPEAKERSET 2.0 USB 2\*2W

This USB speaker set has an internal sound card. A perfect way of upgrading a laptop speakers or desktop PC with better sound without using a power plug. The output of these speakers is 2\*5W, and a PMPO value of 60 Watt.

- Powered by USB
- Sound by 3.5mm plug
- Output: 2x 5 W RMS



**CMP-SPUSB30**  
**1+ 13,20**



## KÖNIG 2.0 SPEAKER SET

Enjoy a perfect sound reproduction with this compact speaker set. Very simple to connect and you use it anywhere.

- 2x 3 W RMS
- Triangular compact format
- Headphone connection
- Volume control
- 3.5mm plug
- Power: 220 W



**CMP-SP20**  
**9,10**



## KÖNIG 7.1 PCI SOUND CARD

- Enjoy 7.1 surround sound
- Play and record music
- 32-bit PCI bus master
- 16-Bit full duplex CODEC
- 7.1 CH 16bits DAC
- Supports Windows® 98SE, 2000, XP and Vista



CMP-SOUNDCAR31

**8.45**



## KÖNIG SEMI FOLDABLE STEREO HEADSET

- Stereo multimedia headset with microphone
- In-line volume control
- High sound quality
- Soft earpads



CMP-HEADSET7

**4+ 6.45**



## KÖNIG USB HEADSET

- Stereo multimedia headset with microphone
- In-line volume control
- High sound quality
- USB connection



CMP-HEADSET27

**12.80**



## KÖNIG OPTICAL MOUSE

- USB connection
- Includes PS/2 adaptor
- Scroll wheel
- 3 Buttons
- Resolution: 400 DPI



CMP-MOUSE60BLA

**6.08**



## KÖNIG PORTABLE OPTICAL MINI MOUSE

- USB interface
- Scroll wheel
- 3 buttons
- 800 DPI
- Rubber grip



CMP-MOUSE103

**8.88**



## KÖNIG MOUSEPAD 4 PORT USB 2.0 HUB

Handy mouse pad with USB connection. Ideal to quickly connect a photo camera, MP3-player or USB stick.

- Plug & play USB 2.0 hub
- With blue neon light
- Dimensions: 270 x 225 x 14 mm




CMP-MATUSBHUB

**10.28**



## KÖNIG MINI WIRELESS OPTICAL MOUSE

- USB interface
- Scroll wheel
- 3 Buttons
- Store dongle in mouse
- Powered by 2x AAA batteries



CMP-MOUSE110

**10.40**



## KÖNIG MINI WIRELESS OPTICAL MOUSE

- USB Interface
- Scroll wheel
- 2 Buttons
- 800 DPI
- Compact dongle



CMP-MOUSE112

**13.70**



## KÖNIG USB WEBCAM WITH NIGHT VISION

- Max. resolution: 1280x960
- Max. framerate: 30 fps
- Microphone: Ja
- Night LED lights



CMP-WEBCAM80

**15.65**



NEW

## KÖNIG HIGH PERFORMANCE 4-PORT USB 2.0 HUB

Create 4 extra USB ports with this high performance USB hub.

- 4x USB 2.0 (480 Mbps)
- Plug & play
- Hot swappable
- Over current protection
- Compatible with Windows® 98SE/ME/2000/XP/ Vista and Mac® OS X or later



CMP-USB2HUB50

**10.78**



## KÖNIG HIGH PERFORMANCE 7-PORT USB 2.0 HUB

Create 4 extra USB ports with this high performance USB hub.

- 4x USB 2.0 (480 Mbps)
- Plug & play
- Hot swappable
- Over current protection
- Compatible with Windows® 98SE/ME/2000/XP/ Vista and Mac® OS X or later




CMP-USB2HUB55

**18.05**



## KÖNIG 4 PORT USB 2.0 HUB

- Create 4 extra USB 2.0 connections
- Strong "Iron Net" enclosure
- With LED indicator



CMP-USB2HUB11

**6.18**



## KÖNIG MINI BLUETOOTH® USB 2.0 ADAPTER

- Micro adapter which can stay in the USB port
- Range up to 20 m
- Data transfer speed up to 3 Mbps
- Compatible with: Windows® 2000/XP/Vista



CMP-BLUEKEY31

**10+ 8.05**



## KÖNIG BLUETOOTH® USB 2.0 ADAPTER

- Bluetooth® V2.0 standard
- Backwards compatible
- Operating range: 100 m
- Windows® ME/2000/XP/Vista



CMP-BLUEKEY25

**9.58**



## KÖNIG S-ATA PCI CONTROLLER

PCI controller card with two internal and one external high speed interface which supports a data transmission of 1.5 Gb/s



CMP-SATAPCI11

**8.48**



With this LAN PCI network card you can easily create a fast and efficient network connection. Simply slot the card into a spare PCI port in your PC and connect to your network to provide access to shared documents, peripherals and the internet.

## KÖNIG PCI NETWORK CARD 10/100 MBPS

- Realtek chipset
- 10/100 MBps
- Windows® 2000/XP/Server 2003/Vista




CMP-NWCARD12

**1+ 5.35**



## KÖNIG PCI NETWORK CARD 10/100/1000 MBPS

- Realtek chipset
- 10/100/1000 MBps
- Windows® 98/ME/2000/NT/XP/Vista/ Linux



CMP-NWCARD22

**1+ 10.05**



## KÖNIG FIREWIRE PCI CONTROLLER

- Ports: 3 External/1 internal
- Transfer speed: 100/200/400 Mbps
- Compatible with: Windows® 98 SE/ME/2000/XP and Mac® OS 10



CMP-FW1394/3P

**5+ 9.55**



## KÖNIG PROFESSIONAL VGA SPLITTERS

With this professional VGA splitters you can display video from a single VGA source on several VGA monitors or projectors simultaneously. The perfect solution to create good visibility during presentations, demonstrations or video walls. Due to the high quality build of the splitter there will be no signal loss. It's fully compliant with VGA analogue specifications and ideal for presentations or video walls.

- Max. resolution: 1920x1440
- Max. cable length: 50 m
- Bandwidth: 250 MHz
- Cascade: Yes
- Housing: Metal
- Power: DC 9 V/0.3 A



Ordercode:	Input:	Output:	Price:
CMP-SPLITVGA10	1x Male VGA	2x Female VGA	<b>22.00</b>
CMP-SPLITVGA20	1x Male VGA	4x Female VGA	<b>23.85</b>
CMP-SPLITVGA30	1x Male VGA	8x Female VGA	<b>38.30</b>

## KÖNIG TURBO WLAN USB ADAPTER

- Standard: IEEE802.11b/g
- Interface: USB 2.0
- Speed: Up to 54 Mbps
- Encryption: WEP, WPA, WPA2
- Compatible with: Windows® 98SE/Me/2000/XP
- Detachable antenna



CMP-WNUSB20

**21.20**

## KÖNIG ADSL 2+ MODEM/ROUTER

Easily create a network of 4 PCs and share an internet connection.

- Supports bridge and NAT router mode
- Complies ADSL/ADSL2/ADSL2+
- Built-in DHCP server
- Built-in 4 port switch
- External splitter



CMP-ADSL2ROU10

**28.40**

## KÖNIG 4 PORT BROADBAND ROUTER

- Enables one to create a 100Mbps network for several users
- Easy sharing without installing software
- With advanced firewall



CMP-ROUTER12

**16.80**

## KÖNIG FTP CAT5e NETWORK CABLE ON REEL



Shielded twisted pairs

- Cabletype: FTP CAT5e
- Conductors: AWG24, 2mm<sup>2</sup>
- Formation: Solid
- Length reel: 100 m

Price per meter

**100+ 0.39**

CMP-NWF5R100S

Shielded twisted pairs.

- Cable type: FTP CAT5e
- Conductors: AWG24, 2mm<sup>2</sup>
- Formation: Stranded
- Length reel: 305 m

Price per meter

**305+ 0.38**

CMP-NWF5R305S

## KÖNIG UTP CAT5E NETWORK CABLE ON REEL

Unshielded twisted pairs.

- Cable type: UTP CAT5e
- Conductors: AWG24, 2 mm<sup>2</sup>
- Formation: Stranded
- Reel length: 100 m

Price per meter

**100+ 0.30**

CMP-NWU5R100

## KÖNIG HOMEPLUG KIT 200 MBPS


Use the power outlet as a network connection with this homeplug. Send data with a speed up to 200 Mbps through the existing powerlines. It is easy to install and extra cables are not needed.

- Modem required
- Speed: 200 Mbps
- Operating range: 200 m

Single plugs are available: CMP-HOMEPLUG30



200 Mbps



CMP-HOMEPLUG35

**93.25**

## KÖNIG 8 PORT ETHERNET SWITCH

- To connect 5 up to max 8 PC's in a network
- 10/100 Mbps compatible
- External power adapter supply
- Also in 5-ports available (CMP-EHUB14)



CMP-EHUB24

**11.45**

## KÖNIG PSU TESTER WITH LCD DISPLAY

This PSU tester enables the user to test the power supply before building it into the PC. Equipped with blue backlit LCD display. Plug & play.

Suitable for:

- 24/20 pin motherboard
- 4 pins molex
- SATA
- 6 pins PCI Express
- 4/8 pin Floppy Power



CMP-PSUTESTERS

**20.40**

## KÖNIG USB 1.1 TO ETHERNET ADAPTER

Add a PC without ethernet connection to a wired network via a USB port.

- Also for an extra ethernet connections on a PC
- Max. speed up to 12 Mbps



CMP-NWUSB10

**10.30**

## KÖNIG SLIM LINE NOTEBOOK ADAPTER 65 W

- Very flat (18 mm)
- Input: 100 - 240 V AC
- Output: 15 - 21 V DC
- Including 8 detachable plugs
- Including etui
- Suitable for Acer, Asus, Compac, NEC, IBM, HP, Dell, Lenovo and more



P.SUP.NBT65KN

**50.40**



## KÖNIG UNIVERSAL NOTEBOOK ADAPTORS 70W

Suitable for almost every notebook, but also suitable for a wide range of equipment that requires a voltage between 15 and 24 V.

- Input voltage: 100 - 240 V AC~50/60 Hz
- Output voltage: 15/16/18/19/20/22/24 V
- Includes: 6 exchangeable adapters

P.SUP.NBT70KN

**29.60**



## HQ CAR NOTEBOOK POWER SUPPLY

Universal switching notebook power supply especially for use in cars.

- Input voltage: 12 Vdc,
- Output selectable 15 - 24 V
- Output power: 50W max.
- Including 8 detachable plugs

P.SUP.NBC-BL

**12.88**



## HQ UNIVERSAL NOTEBOOK POWER SUPPLY 70 W

Universal notebook power supply with a maximum output of 70 W.

- Input voltage: 100 - 240 V AC
- Output voltage: 5 - 24 V DC/steps of 1 V
- Output current: Max. 8 A at 4 V output, Min. 2.8 A at 24 V output

P.SUP.NBT70W-A

**22.00**



## KÖNIG UNIVERSAL NOTEBOOK ADAPTER 100 W + AIRPLANE PLUG + USB

The new generation universal notebook adapter equipped with a special airplane plug. This adapter has a max. output of 100 W and is equipped with an USB port and 9 exchangeable plugs.

- Input voltage: 12 - 16 V DC
- Output voltage: 15-16 V 5 A, 18-19-20 V 4.5 A, 22 V 4 A, 24 V 3.5 A
- USB output: 5 V 1 A
- Airplane plug

P.SUP.NBCU10KN

**26.15**



## KÖNIG UNIVERSAL 130W NOTEBOOK ADAPTER WITH USB PORT

Universal switch-mode power supply with regulated voltage output, selectable between 15 and 24 Volt. As extra feature it has a USB output.

- Input: 100 - 240 VAC
- Output: 12 VDC - max. 8 A  
15/16/18/19/20 VDC - max. 6 A  
22/24 VDC - max. 5 A
- Including 9 detachable plugs
- USB 5V DC

P.SUP.NBT130KN

**44.70**



## KÖNIG CAR NOTEBOOK POWER SUPPLY 150 W

Universal notebook power supply for in a car.

- Input voltage: 12-16 V DC
- Output voltage: 15/16 V DC - max 8.5 A  
18/19 V DC - max 8.0 A  
20 V DC - max 7.5 A  
22 V DC - max 6.5 A  
24 V DC - max 6.0 A
- 9 exchangeable output plugs

P.SUP.NBC150KN

**31.95**



## KÖNIG USB KEYPAD

- Membrane keycaps
- Cord length: 100 cm
- USB connection
- Dimensions: 112.5 x 73.6 x 21.4 mm



**CMP-KEYPAD11**

**8.05**



## KÖNIG UNIVERSAL CODED COMPUTER LOCK

Strong cable lock to protect your PC against theft.

- With combination lock (no keys needed)
- 10.000 combinations
- Length: 1.80 m



**CMP-SAFE4**

**5+ 5.58**



## KÖNIG FLOPPY DRIVE USB

Very suitable if you want to transfer files from floppy disks to your computer.

- USB interface
- For 3.5" 720 KB or 1.44 MB floppy disks
- Compact and lightweight



**CMP-FDDUSB10**

**18.30**



## KÖNIG NOTEBOOK BAGPACK

Luxury backpack notebook bag with a wide range of applications. The high quality material is water resistant and the bag offers extra compartment to store accessories.

- Includes shoulderstrap
- Material: 1680 D nylon/600 D neoprene
- Inner dimensions: 46x29x9 cm



**KN-NBB94**

**24.70**



## KÖNIG NOTEBOOK BACKPACK

- Luxury backpack notebook bag
- High quality material
- Water resistant
- Extra compartments for storage of accessories
- Including shoulder strap
- Inner dimensions: 37 x 31 x 6 cm
- Made of nylon
- Colour: Silver



**KN-NBB90**

**20.70**



## KÖNIG NOTEBOOK BAG

Luxurious notebook bag made of high quality 900D material. The bag is splash water resistant and has extra compartments to store your accessories. Includes a shoulderstrap to take your laptop anywhere.



**KN-NBB82**

**13.10**



## KÖNIG HIGH QUALITY BACKPACK NOTEBOOK BAG

- Luxury backpack notebook bag
- High quality material
- Water resistant
- Extra compartments for storage of accessories
- Including shoulder strap
- Inner dimensions: 37 x 31 x 6 cm
- Made of nylon
- Colour: Black



**KN-NBB92**

**21.20**



## KÖNIG FLEXIBLE USB NOTEBOOK LIGHT

- For extra lighting on and around your notebook
- With flexible neck
- USB connection



**CMP-USBLIGHT**

**1+ 2.40**



## KÖNIG HDMI MULTIMEDIA PLAYER 2.5"

HDMI media player with 2,5" SATA HDD bay. Compatible with HDDs up to 320 Gb. The media player supports resolutions of 1080i and allows you to view your video and photos in high definition.

- Internal HDD bay: 2,5" SATA HD up to 320 GB (not included)
- Interface: USB, CF, MS, SD, MMC slot
- Video output: HDMI, AV
- Audio Output: Stereo, 5.1 CH (RCA)
- Video: MPEG-1 (AVI, MPG, DAT), MPEG-2 (AVI, VOB), MPEG-4 (AVI, ASF, XviD)
- Audio: MP3, WMA
- Picture: JPEG
- Subtitles: SMI, SUB, SRT, PSB, ASS, SSA


**CMP-MEDIAPLAY2**

**89.50**



**KÖNIG CUTTING MACHINE**

- Professional paper cutting machine.
- A4



KN-CM10

**13.05**



**KÖNIG LAMINATING MACHINE**

- Possible paper sizes: A5, A4 and A3
- Laminating sheets sold separately: (KN-LMF10/20/30/40)



KN-LM30

**50.55**



**KÖNIG PHOTO/VIDEO TRIPOD**

Quick release plate, geared elevator and 90° vertical platform. Supplied with carrying bag.

- Nett weight: 1015 g
- Max. height: 1370 mm
- Min. height: 520 mm
- Folded height: 555 mm
- Max. capacity: 3 kg



KN-TRIPOD30

**9.40**



**KÖNIG TRAVELLER TRIPOD**

Tripod with 4-level extendable legs and level point.

- Max. operating height: 1050 mm
- Min. operating height: 370 mm
- Folded height: 350 mm
- Max. load capacity: 1.5 kg
- Net. weight: 660 gr



KN-TRIPOD19


**8.20**



**KÖNIG ALUMINIUM MONOPOD**

Professional monopod 4 sections with ball head and foam handle. Includes carrying bag.

- Max. height: 1780 mm
- Min. height: 600 mm
- Folded length: 600 mm
- Max. capacity: 3 kg
- Weight: 600 gr



KN-TRIPOD45

**9.40**



**KÖNIG PROFESSIONAL CAMCORDER TRIPOD**

Professional camera tripod with advanced fluid damping system that enables smooth camera movements. The tripod is equipped with 2 stage legs for optimal height and stability. The built-in bubble is ideal for horizontal leveling. This stand is especially suitable for camcorders with a weight between 3 and 6 kg. Includes a soft nylon carrying bag with hand and shoulder strap to easily transport the tripod.

- Max height: 148 cm
- Min height: 64 cm
- Folded length: 64 cm
- Pan: -85°/+90°
- Rotatable: 360°
- Load capacity: 6 kg
- Leg stages: 3
- Leg material: Aluminium
- Leg lock: Yes
- Independent leg spread: Yes
- Center column sections: 1
- Head type: Fluid head with quick release plate
- Weight: 4,2 kg



KN-TRIPOD110

**220.80**



**KÖNIG PROFESSIONAL TRIPOD**

This professional video 3-level tripod has a head with fluid drags. The different leg sections can be extended or folded freely and quickly. Perfect for situations where the to be filmed objects won't wait.

- Max. Height: 1370 mm
- Min. Height: 730 mm
- Folded Length: 730 mm
- Load Capacity: 6 kg
- Leg Stages/Sections: 3
- Leg material: Aluminium
- Leg diameter:
- Leg Lock Type: Yes
- Independent Leg Spread: Yes
- Center Column Sections: 1
- Center Column Type: Yes
- Center Brace: No
- Spiked Feet: No
- Head Type: Fluid head
- Level point
- Weight: 4800 g
- Carrying bag (incl.)



KN-TRIPOD100

**159.90**



## KÖNIG LASER BEAMER

- Red graphic laser
- 12 Preset patterns
- 3 Modes: fast, slow, audio
- Power supply: 4x AAA battery (included) or 9 V adapter (not included)
- Laser: < 5 mW
- Dimensions: 190 x 130 x 140 mm



DL-LASER10

**35.10**



## KÖNIG BASIC 3 CHANNEL DJ MIXER

Basic and compact DJ mixer, suitable for connecting and mixing three audio sources.

- 3 Stereo channels
- Crossfader
- Talkover function
- 2x 5 LED level meter
- Output with stereo/mono select



KN-DJMIXER10

**27.10**



## KÖNIG AUDIO/PHONO USB ADAPTER

Easily connect your turntable, cassette deck or any other analogue audio source to your computer to convert your old records to MP3 or WAV.

- Input: Phono/Line in
- Output: Line out
- Amplifier: RIAA pre-amplifier circuit
- MM/MC Switch for different phonograph cartr
- Plug & play operation with Windows®/Mac® OS
- Compatible with: Windows® 98/ME/2000/XP/ Vista and Mac® OS 2.1/10.2/10.4



KN-TTUSB100


**28.15**



## KÖNIG DIGITAL MIDI CONTROLLER USB

This highly professional MIDI controller has 2 jog wheels, crossfader controls and professional mixer possibilities. This controller will come with a full version of E-mix software.

- Seamless/Smart Loop
- Hot Cue
- Jingle/Sampler
- Pitch bender
- Pitch control  $\pm 8\%$ / $\pm 16\%$
- Effect parameter for adjust effects
- Automixbutton
- USB connection
- Unit Dimensions: 275x375x45 mm
- Software upgradable



KN-DIGICON20

**174.40**



## KÖNIG DIRECT DRIVE TURNTABLE

This direct driven turntable is ideal for starting and semi-professional DJ. Practical design and equipped with a high torque motor for a quick start.

- 33 and 45 RPM
- Starts in less than 0,6 sec
- S-shape tone arm
- Pitch control:  $\pm 10\%$
- Target light
- Strobe and cue lights
- Cartridge (incl.)



KN-TT20

**125.85**



## KÖNIG DUAL CD-PLAYER



This dual CD player is suitable for the starting as well as the professional DJ. It is also an ideal music source for public areas such as restaurants. Each unit has a multifunctional jog dial for searching/skipping accurately and fastly. The jog dial also controls momentary speed change to synchronize the bass beats between the two units.

You can operate this dual CD player easily in a dark environment due to the bright coloured rubber buttons. Switchable display of playing time of a single track as well as the remaining playing time of one or all tracks.

- Pitch control  $\pm 16\%$
- Pitch bending
- Search buttons
- Search function via jog dial
- Relay play function
- Skip of 10 tracks

- Smallest search step: 1 frame
- Manual beat counter
- Blue bar graph display
- Quick start (automatic cue)
- 482mm (19") rack installation
- Audio CD/CD-R

KN-CDPLAY201

**185.50**



## KÖNIG PA AMPLIFIER 2X 1000 W

A semi-professional 2x 1000 W mosfet PA amplifier which fits in standard 19" rack cabinets. This amplifier is ideal for advanced DJs, who desire excellent product reliability.

- Maximum output power (1 kHz; THD < 1%):
  - 2x 1000 W @ 4 ohm
  - 2x 500 W @ 8 ohm
- Rated output power (20 Hz-20 kHz; THD < 0.5%):
  - 2x 300 W @ 4 ohm
  - 2x 165 W @ 8 ohm

- Input connectors: RCA, Jack
- Output connectors: Speaker, binding posts, XLR
- Power requirements: 230V ~ 50/60 Hz
- Dimensions: 483 x 88 x 320 mm
- 19" Rack space: 2 RU
- Weight: 10.5 kg



KN-AMP20000-KN

**175.90**



### KÖNIG CHARGE STATION FOR Wii™ REMOTE

Make sure your controller stays charged so you can keep on playing! This charging station can charge 1 Wii™ Mote via USB. The included 1200 mAh battery enables hours of playing time.



GAMWII-CHARGES

1+ **10.05**



### KÖNIG GUN FOR Wii™ WITH LASERPOINTER

This gun makes shooting games more fun and realistic. With the build in laser you can mark your target so you'll never miss again!



GAMWII-GUN

**9.55**



### KÖNIG CHARGE STATION SUITABLE FOR Wii™

Charge 2 Wii™ Mote batteries so you can keep on playing. This charging station charges 2 batteries simultaneously via an AC power adapter. The set includes two 1200 Mah lithium batteries suitable for the Wii™ Mote.

- Power: 220 V AC/ 5 V USB cable
- Batteries: 2x 1200 Mah lithium batteries
- Charge time: 3 hrs
- Life span: 60 hrs (fully charged)
- Lifecycle batteries: +/-500 charges



GAMWII-CHARGE3

**15.60**



### KÖNIG MACHINE GUN FOR Wii™

Make shooting games even more fun and realistic with this machine gun. Both the Wii™ Mote as the Nunchuck can be easily placed. The gun is ideal for first person shooter games. Alternative triggers are supported as well.



GAMWII-MGUN10

**8.30**



### KÖNIG MULTIFUNCTIONAL CHARGER FOR Wii™

Multifunctional charger. Ideal to tidy up all your controllers and essentials. Includes a cooling fan, storage space for 2 Nunchuks, 2 recharge stations for for the Wii™ Motes and a battery charger for 2 AA batteries. Includes 2 rechargeable battery packs.

- 2x Nunchuck stand
- 2x Wii™ Mote stand
- Cooling fan
- Blue LED lights
- On/off switch
- Charger for 2x AA batteries



GAMWII-CHARGE2

**21.35**



### KÖNIG TRAVEL BAG FOR Wii™ AND ACCESSOIRES

Travel bag for Nintendo Wii™ and all the accessories.

- Colour: Black
- Closing: Zipper



GAMWII-TRAVBAG

5+ **12.25**



### KÖNIG MEGA SPORT PACK FOR Wii™

Picture yourself on a tennis court, baseball field, golf course or in a race car! With this sports pack it is all possible.

- 2x Tennis racket
- 1x Handle
- 1x Flexible handheld
- 1x Steering wheel
- 1x Baseball bat
- 1x Golf club
- 1x Console cooler
- 1x Silicon sleeve
- 2x Crystal cover
- 1x Handstrap
- 1x Wii™ stand
- 1x Wii™ slot Cover
- 1x Wii™ combat pack



GAMWII-SPORTK2

**29.90**



### KÖNIG CONTROLLER SILICONE SLEEVE FOR Wii™

This silicon sleeve will protect your Wii™ Mote and Nunchuck from scratches as well as providing a better grip.



GAMWII-SLEEVE

10+ **4.30**



### KÖNIG STEERING WHEEL FOR PS2® AND PC

Race like your favourite driver with this precision racing wheel. The wheel is suitable for PS2® and PC.

- Analogue brake & accelerator pedals
- Vibration feedback with 2 built-in motors
- Digital and analogue mode
- 180° steering angle



GAME-WHEEL11

**23,68**



### KÖNIG WIRELESS GUITAR Wii™, PS2/3

Rock like a true rockstar with this wireless guitar for the Wii™, Playstation® 2 and 3. The guitar is suitable for both Guitar Hero® and Rock Band® games. Insert 3 AA batteries (not incl.) and rock to your favourite music.



GAME-GUITAR10

**43,10**



NEW

### KÖNIG STARTER KIT FOR DS™ LITE

Starters kit for the DS™ Lite which consists of 6 products.

- Car charger
- Earphone
- Carrying case
- Neck strap
- 2x Game case
- Stylus pen



GAMNDS-LSTART1

**9,20**



### KÖNIG EVA CASE FOR PSP®

Protect your PSP® with this case, made of a soft non-abrasive material. With zipper for easy access.



GAMPSP-ECASE10

**5+ 6,05**



**KONIG GOOSENECK INSPECTION CAMERA WITH LED LIGHT**

Multifunctional camera for all kind of inspections. With 70 cm extension arm for optimal use.

Recommended product: SEC-DVRMON10, portable DVR with 2.5" display and rechargeable built-in battery.



- Image chip: 1/8" CDC
- Lens : 3.7mm pinhole
- Horizontal resolution: 420 TV lines
- Light sensitivity: 1 LUX
- Backlight compensation: Automatic
- S/N ratio: >48dB
- Dimensions: Length 64cm + Extension arm 70cm (1.34m)
- Weight: 0.240 kg

Supplied with AC/DC adapter.

**110.98**

**SEC-CAM70**



**KONIG PORTABLE DVR WITH 2.4" DISPLAY**

Micro digital video recorder with built-in 2GB memory and extra Micro SD slot. Ideal for portable use or setting of cameras on location. Also suitable as video player and MP3 player.

- Specifications:
- Video compression: MPEG4
  - Video play support: ASF(MPEG4), AVI(DIVX, XVID), 3GP, MP4
  - Built-in Flash memory: 2GB (2.5 hours)
  - Playback resolution: 640x480
  - Power supply: Li-ion battery
  - Camera input: 3.5mm (video, audio, power 3-5VDC)
  - AV output: 3.5mm (video, audio)
  - LCD: 2.4" TFT
  - Resolution: 320x240
  - USB port: 2.0
  - Dimensions: 83.5x50.2x12.5 mm



**109.20**

**SEC-DVRMON10**



**KÖNIG 14" COLOUR SECURITY MONITOR**

CCTV monitor for observation and security.

- Colour system: NTSC / PAL (3.58 / 4.43Hz)
- Tube: 37 cm CRT (14") Colour
- Horizontal resolution: 430TV line
- Input Signal: 2x Video in BNC standard VS:1Vp-p, 75 Ohm
- Output Signal: 2x Video out BNC standard VS:1Vp-p, 75 Ohm
- Audio in: 2x RCA standard <350mV
- Audio out: 2x RCA standard <350mV
- Switcher: 2CH manual
- Dimensions: 361x371x410 mm



**SEC-MON32**

**223.90**



**KÖNIG 4 CHANNEL SECURITY HDD RECORDER WITH LAN**

Professional digital HDD recorder with network connection.



- 4 Channel camera input
- 1 Channel audio input
- 2 Monitor output
- Built-in quad processor
- Resolution: 720x576
- Supplied without harddisk
- RJ45 network interface
- RS485 PTZ interface
- Included software and remote control
- Motion detection
- Video loss alarm
- Harddisk capacity to 300 GB (Seagate recommended)
- Windows® Vista and Internet Explorer 7.0 compatible
- Dimensions: 430x295x65 mm
- 100~240 V AC/DC 12 V, 5 A Power supply

**SEC-DVR210**

**300.80**



**KÖNIG 4 CHANNEL SECURITY HARD DISK RECORDER**

Compact size hard disk recorder for basic CCTV systems.



- Built-in quad processor for overall view
- With 12V connection for mobile use
- 4 CH camera input
- 1 Monitor output
- Harddisk (not incl.) capacity to 300 GB (Seagate recommended)
- Dimensions: 185x125x80 mm

**SEC-DVR200**

**143.90**



**KÖNIG 8 CHANNEL SECURITY HARD DISK RECORDER**

With dual quad page. Supplied without hard disk.



- 4 Channel recording
- Recording: 25fps at 720x576 pixels
- Display mode: Quad, Full screen
- Recording time 14 days / 120GB / 7fps / normal quality
- Video Quality: 3 levels; Basic, Normal and High
- Input: 8x composite BNC 75 Ohm
- Output: 2x composite BNC 75 Ohm

**SEC-DVR20**

**180.00**



## KÖNIG CCTV COLOUR CAMERA IN WEATHERPROOF HOUSING

Professional CCTV camera in weatherproof housing. Includes 26 high power LEDs for night vision.

- Pickup Device: Sharp 1/3" CCD
- Resolution: 420 lines
- IR LED: 26 pieces
- IR range: +/- 25 m
- Lens: 6 mm
- Illumination: 0 Lux

Supplied without AC/DC adapter and bracket.

Aanbevolen adapter: SEC-P.SUP.10

**SEC-CAM31**

**56,25**



## KÖNIG COLOR CCTV MINI DOME CAMERA

Compact dome camera for discrete security and observation

- Image chip: 1/3" Sony CCD
- Lens : 3.6 mm
- Horizontal resolution: 420 TV lines
- Light sensitivity: 0.5 LUX
- Backlight compensation: automatic
- Electronic shutter: 1/50~1/100.000sec
- S/N ratio: >48dB

Supplied without AC/DC adapter.

Recommended AC/DC adapter: SEC-P.SUP.10

**56,25**



**SEC-CAM350**



## KONIG 2.4GHZ DIGITAL WIRELESS CAMERA

Watch over your properties with this new 2.4 GHz wireless security camera. The camera offers a very sharp and stable image, and the advanced frequency hopping signal encryption capabilities reduce interference. This digital technology ensures your privacy and allows you to use it over an extra long distance.

- RF frequency: 2.4 GHz
- Data rate: 2 Mbps
- Transmission range: 200 m (open field)
- Resolution: 640x480 (VGA)/320x240 (QVGA)
- Channels: 4
- Output: USB 1.1 or above/3.5mm TV plug
- Image sensor: 1/4" Color CMOS
- Lens: 3.6mm
- IR LEDs: 24 LEDs

**SEC-TRANS20**

**153,28**



## KÖNIG COLOUR QUAD PROCESSOR FOR CCTV CAMERAS

Processor with 4 inputs for connection to a monitor of TV

- 4 channels real time display
- Video lost alarm
- Time/date display
- Full screen playback
- AC/DC adapter (excl.)
- Recommended AC/DC adapter: SEC-P.SUP.20

**SEC-QUAD20**

**120,25**



## KÖNIG WIRELESS ALARM SYSTEM

Multi functional Plug and Play wireless alarm system. Secure your home, office or shop in a few minutes. Quick and easy installation.

- Alarm:
- Unit: 100 dB
- Sensors: 95 dB

Package contents:

- 1x Main unit (excl. batt)
- 3x Door/window sensor (incl. batt)
- 3x PIR (excl. batt)
- 2x Remote control (incl. batt)

**SEC-ALARM120**

**60,70**



NEW

SECURITY



## TASKER FLEXIBLE MICROPHONE CABLE

Improved version, more flexible. Cable with shield red copper shielding.



**Ordercode:** **TAS-C114-BLACK**    **Colour:** Black    **Conductors:** 2 x 0.25 mm<sup>2</sup>    **Qty:**    **Price:** 100 / 0.95



## TASKER FLAT AUDIO CABLE

Extremely flexible cable, each conductor separately shielded. Used specially for audio cables.



**Ordercode:** **TAS-C118-BLACK**    **Colour:** Black    **Conductors:** 2 x 0.14 mm<sup>2</sup>    **Qty/Price p.m:** 100 / 0.65



## TASKER FLEXIBLE MICROPHONE CABLE

Improved version, more flexible. Cable with stranded tinned shielding, 100 % shielded, for professional XLR use. Reel: 100 m



**Ordercode:** **TAS-C128-BLACK**    **Colour:** Black    **Conductors:** 2 x 0.35 mm<sup>2</sup>    **Qty:**    **Price:** 100 / 1.08



## SYTRONIC TRANSPARENT LOUDSPEAKER CABLE



**Ordercode:** **LSP-050SYT**    **Conductors:** 2x1.50 mm<sup>2</sup>    **Ext. dim.:** 3.1x6.5 mm    **Qty:**    **Price:** Sytronic 100 / 0.85



**LSP-051SYT**    2x2.50 mm<sup>2</sup>    3.6x6.5 mm    Sytronic 100 / 1.28



## O.F.C.-LOUDSPEAKER CABLE

**Ordercode:** **LSP-053LC**    **Conductors:** Transparent    **Ext. dim.:** 2 x 6.0 mm<sup>2</sup>    **Qty:**    **Price:** 100 / 1.10



## CAT5E UTP PATCHCABLE

Unshielded patchcables for CAT 5e installations



**Ordercode:** **UTP-0008/1**    **Length:** 1.00 m    **Qty:**    **Price:** 10 / 0.68



**UTP-0008/2**    2.00 m    40 / 0.78



**UTP-0008/10**    10.0 m    10 / 2.65



**UTP-0008/20**    20.0 m    5 / 4.15



**UTP-0008/30**    30.0 m    10 / 5.35



## CAT5E FTP PATCH CABLE

Shielded patchcables for CAT5e installations.



**Ordercode:** **FTP-0007/15**    **Length:** 15.0 m    **Qty.:**    **Price:** 10 / 4.30



## CAT6E FTP PATCH CABLE

Shielded patchcables for CAT6 installations.




**Ordercode:** **FTP-0010/20**    **Length:** 20.0 m    **Qty.:**    **Price:** 4 / 7.30



## PROFESSIONAL MODULAR RATCHET CRIMPING TOOL

- Professional modular crimping plier for 6/6 and 8/8 conductors
- Spare knives: TEL-KNIFE3



**10.50**

TEL-0093



## EURO CABLE

Black euro cable with KEMA KEUR and VDE approval



**Ordercode:** **CABLE-704**    **Length:** 1.50 m    **Qty:**    **Price:** 10 / 1.08





## HQ LENS CLEANER

Dry laser lens cleaner to remove dust and dirt from the laser lens.  
Suitable for CD and CD-ROM players.



CLP-004

5+ **2,48**



## HQ VHS-C ADAPTOR

This adapter makes it possible to record and view VHS-C cassettes in all VHS videorecorders. The adapter is motorized and works on a penlite battery.



VHS-C ADAPTOR

15,10



## HQ CD STORAGE BAG

- Extra large bag which can store 200 CDs
- Soft padded sleeves to protect your CDs
- 4 CDs per side (2x2)



HQ-CDS1200

6+ **8,88**



## HQ MEGAPHONE 20W

ABS 20 W megaphone with built-in siren and adjustable volume. The 20 W amplifier ensures you'll be heard over a max. distance of 400 m.



- Distance: +/- 400 m
- Output power: 20 W
- Power: 8x R20/D (excl.)
- Dimensions: 230x360 mm

HQ-MEGAPHONE20

34,65



## HQ PLUG-IN GAS DETECTOR 230 V

- Detectable gases: LPG, natural gas, coal gas
- Power supply: 100 V AC - 240 V AC / 50-60 Hz
- Power consumption: < 4 W
- Alarm volume: > 85 dB
- Dimensions: 67x67x112 mm
- Weight: 122 gr



EL-GD10

11,35



## HQ 2-WAY SWITCHABLE SOCKET

Adapter to duplicate a single wall mounted socket into two switchable sockets. The switch is illuminated.

- 250 V
- Max 16 A
- Max. 3800 W
- 2x Earth pin
- White



EL-SOCKSWIT30

10+ **2,20**



## FIBERGLAS PEN

Special cleaning stick with glasfiber brush to clean printertraces.



FIBERPEN

10+ **5,00**



## FIBERPEN REFILL

Refill for the fiberpen.



FIBERREFILL

5+ **0,80**



## PRF AIR DUSTER

- Non-flammable, compressed air to remove dust and dirt
- Suitable for electronic equipment like computers, keyboards, printers, radio and TV sets, VCRs etc
- Content: 400 ml



PRF DUST/520NF

5+ **10,28**



## HQ SOLDERING STATION

- LED read out
- Adjustable temp. by a potentiometer
- Temperature range: 150°C to 420°C
- Heater power: 48 W



HQ-SOLDER/20

37,60



## HQ DIGITAL SOLDERING STATION

- With digital read out
- Adjustable temp. by a potentiometer
- Temp. range: 160°C to 480°C
- Heater power: 48 W



HQ-SOLDER/30

44,70



## KÖNIG BLOOD PRESSURE MONITOR

Keep a close eye on your bloodpressure from the comfort of your own home.

- Memory for 90 measurements
- Automatic measurement
- Automatic inflation
- Automatic power off (activates after 3 min when not in use)
- Measuring range: 0 mmHg - 300 mmHg
- Accuracy: +/- 3 mmHg



HC-BLDPRESS10

**15.45**



## KÖNIG AUTOMATIC BLOOD PRESSURE MONITOR

- Automatic inflation, automatic measurement
- Automatic power off activated after 3 minutes of non-use
- Measuring range: 0mmHg - 300mmHg
- Accuracy: within +/- 3mmHg



HC-BLDPRESS20

**21.58**



## KÖNIG INFRARED IN-EARTHERMOMETER


Very accurate in-ear thermometer.

- Measurement time: 1 sec
- Accuracy: +/- 0.2 °C
- Memory: 10 measurements
- Power: 1 x 3 V lithium battery (CR2032)



HC-EARTHERM60

**15.10**



## MIELE FILTER+ DUSTBAG FJM-GN-H

Filter+ longlife dustbag with new closing system.

Suitable for:

- |                 |                 |
|-----------------|-----------------|
| S 241 > S 256i  | S 600 > S 699   |
| S 290 > S 299   | S 700 > S 799   |
| S 300i > S 399i | S 800 > S 899   |
| S 400i > S 499i | S 4000 > S 4999 |
| S 500 > S 599   | S 5000 > S 5999 |



Ordercode: **W7-51416/HQFP** Content: 1+1MF+1F Quantity:Price: **1 / 3.90**



Ordercode: **W7-51416/HQFP2** Content: 10+1MF+1FF Quantity:Price: **10 / 8.35**



## HQ DUSTBAG

- Type: FC8021 - Sbag
- Content: 10 + 1mf + 1mf
- Suitable for: Specialist, Universe, City-line, Mobilo, Impact en Expression, HR6999 Sydney



Ordercode: **W7-51864/HQ2** Content: 10+1MF+1FF Quantity:Price: **10 / 5.58**



## HQ FILTER + DUSTBAG FOR BOSCH/SIEMENS

- Bosch/Siemens D-E-F-G-H

- Content: 4 + 1 universal

- Suitable for: BBS10.. >> BBS11.. VS100.. >> VS109..



Ordercode: **W7-52317/HQF** Content: Bosch/Siemens D-E-F-G-H 4+1MF Quantity:Price: **4 / 3.60**



Ordercode: **W7-52317/HQ2** Content: Bosch/Siemens D-E-F-G-H 10+1MF Quantity:Price: **10 / 5.58**



**10 / 5.58**

## COMBI FLOOR TOOL ECONOMY

ø 32mm

Suitable for:

Electrolux, Fam, Holland Electro, Nilfisk, Numatic



W7-61061-EC

**10+ 4.78**



## EC FLOORBRUSH VARIO

- Vario adaptor Ø 30 - 40mm
- Universal model

- Suitable for most normal household vacuumcleaners



W7-61501-EC

**5+ 4.88**



W7-61501-ECBL

**4+ 5.10**

